

Références Webinaire

Champignons médicinaux

Généralités

- Alexander K. et al. Towards a Cancer Drug of Fungal Origin. *Med Res Rev.* 2015 Sep; 35(5): 937–967.
- Chilton J. Redefining Medicinal Mushrooms. Nammex, 2015.
- Powell M. Medicinal Mushrooms: A Clinical Guide. East Sussex: Mycology Press, 2010.
- Rogers R. The fungal Pharmacy, North Atlantic Books, 2011, 591 pp.
- Stengler M. The health benefits of medicinal mushrooms. Laguna Beach. Basic Health Publications, 2005.
- Zhuang SR. et al. Effect of citronellol and the Chinese medical herb complex on cellular immunity of cancer patients receiving chemotherapy/radiotherapy. *Phytother Res.* 2009 Jun;23(6):785-90.
- Zhuang SR. et al. Effects of a Chinese medical herbs complex on cellular immunity and toxicity-related conditions of breast cancer patients. *Br J Nutr.* 2012 Mar;107(5):712-8.
- Sohn SH. et al. Effect of long-term administration of cordycepin from *Cordyceps militaris* on testicular function in middle-aged rats. *Planta Med.* 2012 Oct;78(15):1620-5.
- Song J. et al. Studies on the Antifatigue Activities of *Cordyceps militaris* Fruit Body Extract in Mouse Model. (2015). Evidence Based Complimentary Alternative Medicine.
- Sprecher M. et al. A Reinvestigation of the Structure of "Cordycepic Acid" *J. Org. Chem.*, 1963, 28 (9), pp 2490–2491
- Tuli HS. et al. Cordycepin: a bioactive metabolite with therapeutic benefits. (2013). *Life Sciences.*
- Yuan JP. et al. Distribution of nucleosides and nucleobases in edible fungi. (2008). *Journal of Agricultural and Food Chemistry*, 56(3), 809–815.
- Zhao KY. et al. Role of dongchongxiacao (*Cordyceps*) in prevention of contrast-induced nephropathy in patients with stable angina pectoris. *Journal of Traditional Chinese Medicine* Vol. 33, No. 3 (2013): 283–286.

Cordyceps

- Ashraf S. et al. The polyadenylation inhibitor cordycepin reduces pain, inflammation and joint pathology in rodent models of osteoarthritis. *Scientific Reports* 9, Article number: 4696 (2019)
- Chen S. et al. Effect of Cs-4® (*Cordyceps sinensis*) on exercise performance in healthy older subjects: a double-blind, placebo-controlled trial. *Journal of Alternative and Complementary Medicine* Vol. 16, No. 5 (2010): 585–590.
- Chen X. et al. Oral Chinese herbal medicine combined with pharmacotherapy for stable COPD: A systematic review of effect on BODE Index and Six Minute Walk Test. *PLoS One* Vol. 9, No. 3 (2014): e91830.
- Huang BM. et al. *Cordyceps sinensis* and its fractions stimulate MA-10 mouse Leydig tumor cell steroidogenesis. *J Androl.* 2001 Sep-Oct;22(5):831-7.
- Huang BM. et al. Upregulation of steroidogenic enzymes and ovarian 17beta-estradiol in human granulosa-lutein cells by *Cordyceps sinensis* mycelium. *Biol Reprod.* 2004 May;70(5):1358-64.
- Hur H. Chemical ingredients in *Cordyceps militaris*. (2008). *Mycobiology*, volume 36.
- Lu L. Study on effect of *Cordyceps sinensis* and artemisinin in preventing recurrence of lupus nephritis [article in Chinese]. *Zhongguo Zhong Xi Yi Jie He Za Zhi = Chinese Journal of Integrated Traditional and Western Medicine* Vol. 22, No. 3 (2002): 169–171.
- McCleary BV. et al. Measurement of β-Glucan in mushrooms and mycelial products. (2016). *Journal of AOAC International*, 99(2), 364–373.
- Phan CW. et al. Neurite outgrowth stimulatory effects of culinary-medicinal mushrooms and their toxicity assessment using differentiating Neuro-2a and embryonic fibroblast BALB/3T3. (2013). *BMC Complementary and Alternative Medicine*, 13(1), 261.

Hydne Hérisson

- Kolotushkina E. et al. The influence of *Hericium erinaceus* extract on myelination process in vitro. *Fiziologichnyi Zhurnal* Vol. 49, No. 1 (2003): 38–45.
- Lai PL. et al. Neurotrophic properties of the Lion's mane medicinal mushroom, *Hericium erinaceus* (Higher Basidiomycetes) from Malaysia. *International Journal of Medicinal Mushrooms* Vol. 15, No. 6 (2013): 539–554.
- Mori K. et al. Improving effects of the mushroom Yamabushitake (*Hericium erinaceus*) on mild cognitive impairment: A double-blind placebo-controlled clinical trial. *Phytotherapy Research* Vol. 23, No. 3 (2009): 367–372.
- Mori K. et al. Effects of *Hericium erinaceus* on amyloid β (25-35) peptide-induced learning and memory deficits in mice. *BioMed Research International* Vol. 32, No. 1 (2011): 67–72.
- Nagano M. et al. Reduction of depression and anxiety by 4 weeks *Hericium erinaceus* intake. *BioMed Research International* Vol. 31, No. 4 (2010): 231–237.
- Samberkar S. et al. Lion's Mane, *Hericium erinaceus* and Tiger Milk, *Lignosus rhinocerotis* (Higher Basidiomycetes) Medicinal Mushrooms Stimulate Neurite Outgrowth in Dissociated Cells of Brain, Spinal Cord, and Retina: An In Vitro Study. *Int J Med Mushrooms.* 2015;17(11):1047-54.

Reishi

- Mateo D. et al. Ganoderma lucidum improves physical fitness in women with fibromyalgia. *Nutr Hosp.* 2015;32(5):2126-2135.
- Chaput M. Reishi rouge japonais: Le champignon des champignons; World Health Publishing, 2012, 31p.
- Chu TT. et al. Study of potential cardioprotective effects of Ganoderma lucidum (Lingzhi): results of a controlled human intervention trial. *Br J Nutr.* 2012 Apr;107(7):1017-27.
- Gao Y. et al. Effects of ganopoly (a Ganoderma lucidum polysaccharide extract) on the immune functions in advanced-stage cancer patients. *Immunological Investigations* Vol. 32, No. 3 (2003): 201-215.
- Gao Y. et al. Effects of water-soluble Ganoderma lucidum polysaccharides on the immune functions of patients with advanced lung cancer. *Journal of Medicinal Food* Vol. 8, No. 2 (2005): 159-168.
- Hijikata YA. et al. Effect of an herbal formula containing Ganoderma lucidum on reduction of herpes zoster pain: A pilot clinical trial. *The American Journal of Chinese Medicine* Vol. 33, No. 4 (2005): 517-523.
- Hijikata YA. et al. Herbal mixtures containing the mushroom Ganoderma lucidum improve recovery time in patients with herpes genitalis and labialis. *Journal of Alternative and Complementary Medicine* Vol. 13, No. 9 (2007): 985-987.
- Lin ZB. et al. Antitumor and immunoregulatory activities of Ganoderma Lucidum and its possible mechanisms. *ACTA Pharmacol. Sin.* 2004; 25(11) : 1387-1395
- Noguchi M. et al. Randomized clinical trial of an ethanol extract of Ganoderma lucidum in men with lower urinary tract symptoms. *Asian J Androl.* 2008 Sep;10(5):777-85.
- Oka S. et al. A water-soluble extract from culture medium of Ganoderma lucidum mycelia suppresses the development of colorectal adenomas. *Hiroshima Journal of Medical Sciences* Vol. 59, No. 1 (2010): 1-6.
- Tang W. et al. A randomized, double-blind and placebo-controlled study of a Ganoderma lucidum polysaccharide extract in neurasthenia. *Journal of Medicinal Food* Vol. 8, No. 1 (2005): 53-58.
- Wang GH. et al. Spore powder of Ganoderma lucidum for the treatment of Alzheimer disease: A pilot study. *Medicine (Baltimore).* 2018;97(19):e0636.
- Yuen J. et al. Anticancer effects of Ganoderma Lucidum : a review of scientific evidence. *Nutr. Cancer.* 2005; 53(1) : 11-17
- Zhang Y. et al. Effect of Ganoderma lucidum capsules on T lymphocyte subsets in football players on 'living high-training low'. *British Journal of Sports Medicine* Vol. 42, No. 10 (2008): 819-822.
- Zhou X. et al. Ganodermataceae : Natural products and their related pharmacological functions. *AM J Chin Med.* 2007; 35(4): 559-574
- Zhuang SR. et al. Effect of citronellol and the Chinese medical herb complex on cellular immunity of cancer patients receiving chemotherapy/radiotherapy. *Phytotherapy Research* Vol. 23, No. 6 (2009): 785-790.
- Zhuang SR. et al. Effects of a Chinese medical herbs complex on cellular immunity and toxicity-related conditions of breast cancer patients. *The British Journal of Nutrition* Vol. 107, No. 5 (2012): 712-718.

Maitake

- Chen JT. Maitake mushroom (*Grifola frondosa*) extract induces ovulation in patients with polycystic ovary syndrome: a possible monotherapy and a combination therapy after failure with first-line clomiphene citrate. *J Altern Complement Med.* 2010 Dec;16(12):1295-9.A
- Deng G. et al. A phase I/II trial of a polysaccharide extract from *Grifola frondosa* (Maitake mushroom) in breast cancer patients: immunological effects. *Journal of Cancer Research and Clinical Oncology* Vol. 135, No. 9 (2009): 1215-1221.
- He Y. et al. *Grifola frondosa* polysaccharide: a review of antitumor and other biological activity studies in China. *Discov Med.* 2018 Apr;25(138):159-176.
- Kodama N. et al. Can maitake MD-fraction aid cancer patients? *Altern Med Rev.* 2002 Jun;7(3):236-9.
- Kodama N. et al. Maitake D-fraction enhances antitumor effects and reduces immunosuppression by mitomycin-C in tumor-bearing mice. *Nutrition* Vol. 21, No. 5 (2005): 624-629.
- Lin H. et al. Maitake beta-glucan MD-fraction enhances bone marrow colony formation and reduces doxorubicin toxicity in vitro. *International Immunopharmacology* Vol. 4, No. 1 (2004): 91-99.
- Mayell M. Maitake extracts and their therapeutic potential. *Altern Med Rev.* 2001 Feb;6(1):48-60.
- Nanba H. et al. Effect of Maitake glucan in HIV infected patients, 2000, *Mycoscience* 41 (4): 293:295
- Nanba H. Maitake D-fraction: healing and preventive potential for cancer. *Journal of Orthomolecular Medicine* Vol. 12, No. 1 (1997): 43-49.
- Yang D. et al. Prevention of postoperative recurrence of bladder cancer: a clinical study [article in Chinese]. *Zhonghua Wai Ke Za Zhi [Chinese Journal of Surgery]* Vol. 37, No. 8 (1999): 464-465.
- Yang DA. et al. Prophylactic effects of zhuling and BCG on postoperative recurrence of bladder cancer [article in Chinese]. *Zhonghua Wai Ke Za Zhi [Chinese Journal of Surgery]* Vol. 32, No. 7 (1994): 433-434.

Shiitake

- Gordon M. et al. A phase II controlled study of a combination of the immune modulator, lentinan, with didanosine (ddl) in HIV patients with CD4 cells of 200-500/mm³. *Journal of Medicine* Vol. 26, No. 5-6 (1995): 193-207.
- Gordon M. et al. A placebo-controlled trial of the immune modulator, lentinan, in HIV-positive patients: a phase I/II trial. *Journal of Medicine* Vol. 29, No. 5-6 (1998): 305-330.
- Hazama S. et al. Efficacy of orally administered superfine dispersed lentinan (beta-1,3-glucan) for the treatment of advanced colorectal cancer. *Anticancer Research* Vol. 29, No. 7 (2009): 2611-2617.
- Wan, JL. et al. Combination therapy with lentinan improves outcomes in patients with esophageal carcinoma. *Molecular Medicine Reports* Vol. 5, No. 3 (2012): 745-748.
- Yamaguchi YE. et al. Efficacy and safety of orally administered *Lentinula edodes* mycelia extract for patients undergoing cancer chemotherapy: a pilot study. *The American Journal of Chinese Medicine* Vol. 39, No. 3 (2011): 451-459.
- Yoon KN. et al. Appraisal of Antihyperlipidemic Activities of *Lentinus lepideus* in Hypercholesterolemic Rats. *Mycobiology.* 2011 Dec;39(4):283-9.

Chaga

- Aiken C. et al. Betulinic acid derivatives as HIV-1 antivirals. *Trends Mol Med.* 2005 Jan;11(1):31-6.
- Chintharlapalli S. et al. Betulinic acid inhibits colon cancer cell and tumor growth and induces proteasome-dependent and -independent downregulation of specificity proteins (Sp) transcription factors. *BMC Cancer.* 2011 Aug 24;11:371.
- Damle AA. et al. Anticancer activity of betulinic acid on MCF-7 tumors in nude mice. *Indian J Exp Biol.* 2013 Jul;51(7):485-91.
- Gheorgheosu D. et al. Betulinic Acid as a Potent and Complex Antitumor Phytochemical: A Minireview. *Anticancer Agents Med Chem.* 2014 Feb 23. [Epub ahead of print]
- Lemieszek MK. et al. Anticancer effects of fraction isolated from fruiting bodies of Chaga medicinal mushroom, *Inonotus obliquus* (Pers.:Fr.) Pilát (Aphylophoromycetideae): in vitro studies. *Int J Med Mushrooms.* 2011;13(2):131-43.
- Martin DE. et al. Multiple-dose pharmacokinetics and safety of bevirimat, a novel inhibitor of HIV maturation, in healthy volunteers. *Clin Pharmacokinet.* 2007;46(7):589-98.
- Mertens-Talcott SU. et al. Betulinic acid decreases ER-negative breast cancer cell growth in vitro and in vivo: role of Sp transcription factors and microRNA-27a:ZBTB10. *Mol Carcinog.* 2013 Aug;52(8):591-602.
- Mullauer FB. et al. Betulinic acid delivered in liposomes reduces growth of human lung and colon cancers in mice without causing systemic toxicity. *Anticancer Drugs.* 2011 Mar;22(3):223-33.
- Ning X. et al. Inhibitory Effects of a Polysaccharide Extract from the Chaga Medicinal Mushroom, *Inonotus obliquus* (Higher Basidiomycetes), on the Proliferation of Human Neurogliocytoma Cells. *Int J Med Mushrooms.* 2014;16(1):29-36.
- Pan HH. et al. Aqueous extract from a Chaga medicinal mushroom, *Inonotus obliquus* (higher Basidiomycetes), prevents herpes simplex virus entry through inhibition of viral-induced membrane fusion. *Int J Med Mushrooms.* 2013;15(1):29-38.
- Schettino MT. et al. Betulinic acid and possible influence on the clearance of Human Papilloma Virus: cytological and virological follow-up. *Minerva Ginecol.* 2013 Dec;65(6):661-8.
- Smith PF. et al. Phase I and II study of the safety, virologic effect, and pharmacokinetics/pharmacodynamics of single-dose 3-o-(3',3'-dimethylsuccinyl) betulinic acid (bevirimat) against human immunodeficiency virus infection. *Antimicrob Agents Chemother.* 2007 Oct;51(10):3574-81.